## R46, Class X2, 310 VAC, 110°C



#### **Overview**

The R46 series is constructed of metallized polypropylene film encapsulated with self-extinguishing resin in a box of material that meets the requirements of UL 94 V-0.

### **Applications**

For worldwide use in electromagnetic interference (EMI) suppression in across-the-line applications that require X2 safety classification. Intended for use in situations in which capacitor failure would not result in exposure to electric shock. Not for use in "series with mains" type applications.

#### **Benefits**

Approvals: ENEC, UL, cUL, CQC
X2 CLASS (IEC 60384-14)

Rated voltage: 310 VAC 50/60 Hz
Capacitance range: 0.01 – 10 μF
Lead spacing: 10.0 – 37.5 mm

• Capacitance tolerance: ±20%, ±10%

Climatic category 40/110/56, IEC 60068-1

• Tape & Reel in accordance with IEC 60286-2

· RoHS compliant and lead-free terminations

• Operating temperature range of -40°C to +110°C

100% screening factory test at 2,200 VDC/1,500 VAC

Self healing properties



## **Part Number System**

R46	3	N	3150	00	01	М
Series	Rated Voltage (VAC)	Lead Spacing (mm)	Capacitance Code (pF)	Packaging	Internal Use	Capacitance Tolerance
X2, Metallized Polypropylene	3 = 310	F = 10.0 I = 15.0 N = 22.5 R = 27.5 W = 37.5	The last three digits represent significant figures. The first digit specifies number of zeros to be added.	See Ordering Options Table	01 02 L2 M1 M2 N0 N1	K = ±10% M = ±20%




## **Ordering Options Table**


Lead Spacing Nominal (mm)	Type of Leads and Packaging	Lead Length (mm)	Lead and Packaging Code
	Standard Lead and Packaging Options		
	Bulk (Bag) – Short Leads	4 +2/-0	00
	Ammo Pack	$H_0 = 18.5 \pm 0.5$	DQ
	Other Lead and Packaging Options		
	Tape & Reel (Large Reel)	$H_0 = 18.5 \pm 0.5$	CK
	Bulk (Bag) – Short Leads	2.7 +0.5/-0	JA
10	Bulk (Bag) – Short Leads	3.5 +0.5/-0	JB
15	Bulk (Bag) – Short Leads	4.0 +0.5/-0	JE
22.5	Bulk (Bag) – Short Leads	3.2 +0.3/-0.2	JH
	Bulk (Bag) – Long Leads	18 ±1	JM
	Bulk (Bag) – Long Leads	30 +5/-0	40
	, -, -		-
	Bulk (Bag) – Long Leads	25 +2/-1	50
	Bulk (Bag) – Insulated Rigid Leads	30 +5/-0 (sp 8 ±2)	51
	Bulk (Bag) – Insulated Flexible Leads	150 ±5 (sp 8 ±2)	52
	Standard Lead and Packaging Options		
	Bulk (Bag) – Short Leads	4 +2/-0	00
	Tape & Reel (Large Reel)	H <sub>0</sub> = 18.5 ±0.5	CK <sup>1</sup>
	Other Lead and Packaging Options		
	Bulk (Tray) – Short Leads	2.7 +0.5/-0	JA
	Bulk (Tray) – Short Leads	3.5 +0.5/-0	JB
27.5	Bulk (Tray) – Short Leads	4.0 +0.5/-0	JE
	Bulk (Tray) – Short Leads	3.2 +0.3/-0.2	JH
	Bulk (Tray) – Long Leads	18 ±1	JM
	Bulk (Tray) – Long Leads	30 +5/-0	40
	Bulk (Tray) – Long Leads	25 +2/-1	50
	Bulk (Bag) – Insulated Rigid Leads	30 +5/-0 (sp 8 ±2)	51
	Bulk (Bag) – Insulated Flexible Leads	150 ±5 (sp 8 ±2)	52
	Standard Lead and Packaging Options		
	Bulk (Tray) – Short Leads	4 +2/-0	00
	Other Lead and Packaging Options		
	Bulk (Tray) – Short Leads	2.7 +0.5/-0	JA
	Bulk (Tray) – Short Leads	3.5 +0.5/-0	JB
37.5	Bulk (Tray) – Short Leads	4.0 +0.5/-0	JE
07.0	Bulk (Tray) – Short Leads	3.2 +0.3/-0.2	JH
	Bulk (Tray) – Long Leads	18 ±1	JM
	Bulk (Tray) – Long Leads	30 +5/-0	40
	Bulk (Tray) – Long Leads	25 +2/-1	50
	Bulk (Bag) – Insulated Rigid Leads	30 +5/-0 (sp 8 ±2)	51
	Bulk (Bag) – Insulated Flexible Leads	150 ±5 (sp 8 ±2)	52


<sup>&</sup>lt;sup>1</sup> Not for all sizes, see "Packaging Quantities" table.



## **Dimensions - Millimeters**










	S		Γ		1		-		
Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance
10.0	± 0.4	4.0	+0.2/-0.5	9.0	+0.1/-0.5	13.0	+0.2/-0.5	0.6	±0.05
10.0	± 0.4	5.0	+0.2/-0.5	11.0	+0.1/-0.5	13.0	+0.2/-0.5	0.6	±0.05
10.0	± 0.4	6.0	+0.2/-0.5	12.0	+0.1/-0.5	13.0	+0.2/-0.5	0.6	±0.05
15.0	± 0.4	5.0	+0.2/-0.5	11.0	+0.1/-0.5	18.0	+0.3/-0.5	0.6	±0.05
15.0	± 0.4	6.0	+0.2/-0.5	12.0	+0.1/-0.5	18.0	+0.3/-0.5	0.6	±0.05
15.0	± 0.4	6.0	+0.2/-0.5	17.5	+0.1/-0.5	18.0	+0.3/-0.5	0.6	±0.05
15.0	± 0.4	7.5	+0.2/-0.5	13.5	+0.1/-0.5	18.0	+0.5/-0.5	0.6	±0.05
15.0	± 0.4	7.5	+0.2/-0.5	18.5	+0.1/-0.5	18.0	+0.5/-0.5	0.8	±0.05
15.0	± 0.4	8.5	+0.2/-0.5	14.5	+0.1/-0.5	18.0	+0.5/-0.5	0.6	±0.05
15.0	± 0.4	9.0	+0.2/-0.5	12.5	+0.1/-0.5	18.0	+0.5/-0.5	0.6	±0.05
15.0	± 0.4	10.0	+0.2/-0.5	16.0	+0.1/-0.5	18.0	+0.5/-0.5	0.8	±0.05
15.0	± 0.4	11.0	+0.2/-0.5	19.0	+0.1/-0.5	18.0	+0.5/-0.5	0.8	±0.05
15.0	± 0.4	13.0	+0.2/-0.5	12.0	+0.1/-0.5	18.0	+0.5/-0.5	0.8	±0.05
22.5	± 0.4	6.0	+0.2/-0.5	15.0	+0.1/-0.5	26.5	+0.3/-0.5	0.8	±0.05
22.5	± 0.4	7.0	+0.2/-0.5	16.0	+0.1/-0.5	26.5	+0.3/-0.5	0.8	±0.05
22.5	± 0.4	10.0	+0.2/-0.5	18.5	+0.1/-0.5	26.5	+0.3/-0.5	0.8	±0.05
22.5	± 0.4	11.0	+0.2/-0.5	20.0	+0.1/-0.5	26.5	+0.3/-0.5	0.8	±0.05
22.5	± 0.4	13.0	+0.2/-0.5	22.0	+0.1/-0.5	26.5	+0.3/-0.5	0.8	±0.05
27.5	± 0.4	9.0	+0.2/-0.7	17.0	+0.1/-0.7	32.0	+0.3/-0.7	0.8	±0.05
27.5	± 0.4	11.0	+0.2/-0.7	20.0	+0.1/-0.7	32.0	+0.3/-0.7	0.8	±0.05
27.5	± 0.4	13.0	+0.2/-0.7	22.0	+0.1/-0.7	32.0	+0.3/-0.7	0.8	±0.05
27.5	± 0.4	13.0	+0.2/-0.7	25.0	+0.1/-0.7	32.0	+0.3/-0.7	0.8	±0.05
27.5	± 0.4	14.0	+0.2/-0.7	28.0	+0.1/-0.7	32.0	+0.3/-0.7	0.8	±0.05
27.5	± 0.4	18.0	+0.2/-0.7	33.0	+0.1/-0.7	32.0	+0.3/-0.7	0.8	±0.05
27.5	± 0.4	22.0	+0.2/-0.7	37.0	+0.1/-0.7	32.0	+0.3/-0.7	0.8	±0.05
		Note: Se	e Ordering O	ptions Tabl	e for lead ler	ngth (LL/H₀)	options.		



## **Dimensions - Millimeters cont.**







	S T		Н		L		F		
Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance	Nominal	Tolerance
37.5	± 0.4	11.0	+0.3/-0.7	22.0	+0.1/-0.7	41.5	+0.3/-0.7	1.0	±0.05
37.5	± 0.4	13.0	+0.3/-0.7	24.0	+0.1/-0.7	41.5	+0.3/-0.7	1.0	±0.05
37.5	± 0.4	16.0	+0.3/-0.7	28.5	+0.1/-0.7	41.5	+0.3/-0.7	1.0	±0.05
37.5	± 0.4	19.0	+0.3/-0.7	32.0	+0.1/-0.7	41.5	+0.3/-0.7	1.0	±0.05
37.5	± 0.4	20.0	+0.3/-0.7	40.0	+0.1/-0.7	41.5	+0.3/-0.7	1.0	±0.05
37.5	± 0.4	24.0	+0.3/-0.7	44.0	+0.1/-0.7	41.5	+0.3/-0.7	1.0	±0.05
37.5	± 0.4	30.0	+0.3/-0.7	45.0	+0.1/-0.7	41.5	+0.3/-0.7	1.0	±0.05
		Note: Se	e Ordering O	ptions Tabl	e for lead lei	ngth (LL/H₀)	options.		




## **Performance Characteristics**


Dielectric	Polypropylene film						
Plates	Metal layer deposited by	Metal layer deposited by evaporation under vacuum					
Winding	Non-inductive type	Non-inductive type					
Leads	Tinned wire						
Protection	Plastic case, thermosetting	resin filled. Box material is so	olvent resistant and flame reta	ardant according to UL94.			
Related Documents	IEC 60384-14, EN 60384	-14					
Rated Voltage V <sub>R</sub>	310 VAC (50/60 Hz)						
Recommended DC Voltage	≤ 630 VDC						
Capacitance Range	0.010 - 10 μF						
Capacitance Values	E6 series (IEC 60063) me	asured at 1 kHz and +20 ±1	°C				
Capacitance Tolerance	±10%, ±20%	±10%, ±20%					
Temperature Range	-40°C to +110°C	-40°C to +110°C					
Climatic Category	40/110/56 IEC 60068-1	40/110/56 IEC 60068-1					
	Storage time: ≤ 24 months from the date marked on the label package						
	Average relative humidity per year ≤ 70%						
Storage Conditions	RH ≤ 85% for 30 days ran	domly distributed througho	ut the year				
	Dew is absent						
	Temperature: -40 to 80°0	C (see "Maximum Humidity i	in Storage Conditions" grap	h below)			
Approvals	ENEC, UL, cUL, CQC						
Dissipation Factor (tanδ)	≤ 0.1% (0.06%*) at 1 kHz,	+25°C ±5°C (* typical value	·)				
Test Voltage Between Terminals	The voltage level is selecte All electrical characteristic	ry test is carried out at 2,200 ed to meet the requirements i cs are checked after the test. EMET is not liable in such ca	in applicable equipment stan This test cannot be repeated				
		Measured at +25°C ±5°C,	according to IEC 60384-2				
		Minimum Values B	Between Terminals				
Insulation Resistance	Voltage Charge	Voltage Charge Time	C ≤ 0.33 µF	C > 0.33 µF			
	100 VDC	1 minute	$\geq 1 \cdot 10^{5} M\Omega$ ( $\geq 5 \cdot 10^{5} M\Omega$ )*	≥ 30,000 MΩ • μF ( ≥ 150,000 MΩ • μF )*			


<sup>\*</sup> Typical value



### **Performance Characteristics cont.**









 $T_h$  is the maximum ambient temperature surrounding the capacitor or hottest contact point (e.g. tracks), whichever is higher, in the worst operation conditions in  $^{\circ}$ C.


## **Impedance Graph**








# Maximum Voltage ( $V_{rms}$ ) Versus Frequency (Sinusoidal Waveform/Th $\leq 70^{\circ}$ C)


















# Maximum Current ( $I_{rms}$ ) Versus Frequency (Sinusoidal Waveform/Th $\leq 70^{\circ}$ C)













### **Environmental Test Data**

Test	IEC Publication	Procedure
Endurance	EN/IEC 60384-14	$1.25  \text{x}  \text{V}_{\text{R}}  \text{VAC}  50  \text{Hz}$ , once every hour increase to 1,000 VAC for 0.1 second, 1,000 hours at upper rated temperature
Vibration	IEC 60068-2-6 Test Fc	3 directions at 2 hours each 10 – 55 Hz at 0.75 mm or 98 m/s²
Bump	IEC 60068-2-29 Test Eb	1,000 bumps at 390 m/s <sup>2</sup>
Change of Temperature	IEC 60068-2-14 Test Na	Upper and lower rated temperature 5 cycles
Active Flammability	IEC 60384-14	V <sub>R</sub> + 20 surge pulses at 2.5 kV (pulse every 5 seconds)
Passive Flammability	IEC 60384-14	IEC 60384-1, IEC 60695-11-5 Needle flame test
Damp Heat Steady State	IEC 60068-2-78 Test Cab	+40°C and 93% RH, 56 days

## **Approvals**

Certification Body	Mark	Specification	File Number
IMQ S-p.A.		EN/IEC 60384-14	V4413
UL	c <b>SN</b> °us	UL 60384-14 and CAN/CSA E60384-14 (310 VAC)	E97797
cqc	Cec	GB/T 14472 IEC 60384-14	CQC08001026549 CQC11001060118 CQC13001087757 CQC14001116028 CQC13001101266 CQC14001116000

## **Environmental Compliance**

All KEMET EMI capacitors are RoHS compliant.





**Table 1 - Ratings & Part Number Reference** 

Capacitance	Dime	ensions ir	n mm	Lead Spacing	dV/dt	KEMET	Legacy Part
Value (µF)	T	Н	L	(S)	(V/µs)	Part Number	Number
0.010	4.0	9.0	13.0	10.0	500	463F2100(1)N0(2)	R463F2100(1)N0(2)
0.015	4.0	9.0	13.0	10.0	500	463F2150(1)N0(2)	R463F2150(1)N0(2)
0.022	4.0	9.0	13.0	10.0	500	463F2220(1)N0(2)	R463F2220(1)N0(2)
0.033	5.0	11.0	13.0	10.0	500	463F2330(1)M1(2)	R463F2330(1)M1(2)
0.047	5.0	11.0	13.0	10.0	500	463F2470(1)N0(2)	R463F2470(1)N0(2)
0.068	6.0	12.0	13.0	10.0	500	463F2680(1)M1(2)	R463F2680(1)M1(2)
0.10	6.0	12.0	13.0	10.0	500	463F3100(1)M1(3)	R463F3100(1)M1(3)
0.010	5.0	11.0	18.0	15.0	400	46312100(1)01(2)	R463I2100(1)01(2)
0.015	5.0	11.0	18.0	15.0	400	46312150(1)01(2)	R463I2150(1)01(2)
0.022	5.0	11.0	18.0	15.0	400	46312220(1)01(2)	R463I2220(1)01(2)
0.033	5.0	11.0	18.0	15.0	400	46312330(1)01(2)	R463I2330(1)01(2)
0.047	5.0	11.0	18.0	15.0	400	46312470(1)01(2)	R463I2470(1)01(2)
0.068	5.0	11.0	18.0	15.0	400	46312680(1)01(2)	R463I2680(1)01(2)
0.10	5.0	11.0	18.0	15.0	400	463I3100(1)M1(2)	R463I3100(1)M1(2)
0.15	6.0	12.0	18.0	15.0	400	463I3150(1)M2(2)	R463I3150(1)M2(2)
0.15	9.0	12.5	18.0	15.0	400	463I3150(1)L2(2)	R463I3150(1)L2(2)
0.22	7.5	13.5	18.0	15.0	400	463I3220(1)M2(2)	R463I3220(1)M2(2)
0.22	9.0	12.5	18.0	15.0	400	463l3220(1)L2(2)	R463I3220(1)L2(2)
0.22	6.0	17.5	18.0	15.0	400	46313220(1)02(2)	R463I3220(1)02(2)
0.33	8.5	14.5	18.0	15.0	400	463I3330(1)N0(2)	R463I3330(1)N0(2)
0.33	10.0	16.0	18.0	15.0	400	463I33330(1)M1(2)	R463I3330(1)M1(2)
0.33	7.5	18.5	18.0	15.0	400	46313330(1)02(2)	R463I3330(1)02(2)
0.33	13.0	12.0	18.0	15.0	400	46313330(1)01(2)	R463I3330(1)01(2)
0.47	10.0	16.0	18.0	15.0	400	463I3470(1)N0(3)	R463I3470(1)N0(3)
0.47	11.0	19.0	18.0	15.0	400	463I3470(1)M1(2)	R463I3470(1)M1(2)
0.56	11.0	19.0	18.0	15.0	400	463I3560(1)N0(2)	R463I3560(1)N0(2)
0.60	11.0	19.0	18.0	15.0	400	46313600(1)N0(2)	R463I3600(1)N0(2)
0.15	6.0	15.0	26.5	22.5	200	463N3150(1)01(2)	R463N3150(1)01(2)
0.22 0.33	6.0 6.0	15.0	26.5 26.5	22.5 22.5	200 200	463N3220(1)M1(2)	R463N3220(1)M1(2)
0.33	7.0	15.0 16.0	26.5	22.5	200	463N3330(1)N0(2) 463N3470(1)N0(2)	R463N3330(1)N0(2) R463N3470(1)N0(2)
0.47	10.0	18.5	26.5	22.5	200	463N3680(1)M2(2)	R463N3680(1)M2(2)
1.0	10.0	18.5	26.5	22.5	200	463N4100(1)N2(3)	R463N4100(1)N2(3)
1.0	11.0	20.0	26.5	22.5	200	463N4100(1)N1(2)	R463N4100(1)N1(2)
1.5	13.0	22.0	26.5	22.5	200	463N4150(1)N1(2)	R463N4150(1)N1(2)
0.47	9.0	17.0	32.0	27.5	150	463R3470(1)01(2)	R463R3470(1)01(2)
0.68	9.0	17.0	32.0	27.5	150	463R3680(1)M1(2)	R463R3680(1)M1(2)
1.0	11.0	20.0	32.0	27.5	150	463R4100(1)M1(2)	R463R4100(1)M1(2)
1.5	13.0	22.0	32.0	27.5	150	463R4150(1)M1(2)	R463R4150(1)M1(2)
2.2	13.0	25.0	32.0	27.5	150	463R4220(1)M2(2)	R463R4220(1)M2(2)
2.2	14.0	28.0	32.0	27.5	150	463R4220(1)M1(2)	R463R4220(1)M1(2)
3.3	18.0	33.0	32.0	27.5	150	463R4330(1)M2(2)	R463R4330(1)M2(2)
4.7	18.0	33.0	32.0	27.5	150	463R4470(1)M2(2)	R463R4470(1)M2(2)
4.7	22.0	37.0	32.0	27.5	150	463R4470(1)M1(2)	R463R4470(1)M1(2)
1.5	11.0	22.0	41.5	37.5	100	463W4150(1)M1(2)	R463W4150(1)M1(2)
2.2	11.0	22.0	41.5	37.5	100	463W4220(1)M2(3)	R463W4220(1)M2(3)
2.2	13.0	24.0	41.5	37.5	100	463W4220(1)M1(2)	R463W4220(1)M1(2)
3.3	16.0	28.5	41.5	37.5	100	463W4330(1)M1(2)	R463W4330(1)M1(2)
4.7	16.0	28.5	41.5	37.5	100	463W4470(1)M2(3)	R463W4470(1)M2(3)
4.7	19.0	32.0	41.5	37.5	100	463W4470(1)M1(2)	R463W4470(1)M1(2)
6.8	20.0	40.0	41.5	37.5	100	463W4680(1)M2(2)	R463W4680(1)M2(2)
6.8	24.0	44.0	41.5	37.5	100	463W4680(1)M1(2)	R463W4680(1)M1(2)
10.0	30.0	45.0	41.5	37.5	100	463W5100(1)M1(2)	R463W5100(1)M1(2)
Capacitance Value (µF)	T (mm)	H (mm)	L (mm)	Lead Spacing (S)	dV/dt (V/μs)	KEMET Part Number	Legacy Part Number
			L			1	l

<sup>(1)</sup> Insert lead and packaging code. See Ordering Options Table for available options.

<sup>(2)</sup>  $M = \pm 20\%$ ,  $K = \pm 10\%$ 

<sup>(3)</sup>  $M = \pm 20\%$  (only available tolerance).



### **Soldering Process**


The implementation of the RoHS directive has resulted in the selection of SnAuCu (SAC) alloys or SnCu alloys as primary solder material. This has increased the liquidus temperature from  $183^{\circ}$ C for SnPb eutectic alloys to  $217 - 221^{\circ}$ C for the new alloys. As a result, the heat stress to the components, even in wave soldering, has increased considerably due to higher preheat and wave temperatures. Polypropylene capacitors are especially sensitive to heat (the melting point of polypropylene is  $160 - 170^{\circ}$ C). Wave soldering can be destructive, especially for mechanically small polypropylene capacitors (with lead spacing of 5 - 15 mm). Great care must be taken during soldering. The recommended solder profiles from KEMET should be used. Consult KEMET with any questions. In general, the wave soldering curve from IEC Publication 61760-1 Edition 2 serves as a solid quideline for successful soldering. See Figure 1.

Reflow soldering is not recommended for through-hole film capacitors. Exposing capacitors to a soldering profile in excess of the above-recommended limits may result to degradation of or permanent damage to the capacitors.

Do not place the polypropylene capacitor through an adhesive curing oven to cure resin for surface mount components. Insert through-hole parts after curing surface mount parts. Consult KEMET to discuss the actual temperature profile in the oven, if through-hole components must pass through the adhesive curing process. A maximum two soldering cycles is recommended. Allow time for the capacitor surface temperature to return to normal temperature before performing the second soldering cycle.


#### **Manual Soldering Recommendations**

Following is the recommendation for manual soldering with a soldering iron.



The soldering iron tip temperature should be set at 350°C (+10°C maximum), with the soldering duration not to exceed more than 3 seconds.

#### **Wave Soldering Recommendations**





### **Soldering Process cont.**


#### **Wave Soldering Recommendations cont.**

1. The table indicates the maximum set-up temperature of the soldering process.

Dielectric		mum heat erature	Maximum Peak Soldering Temperature		
Film Material	Capacitor Pitch ≤ 15 mm	Capacitor Pitch > 15 mm	Capacitor Pitch ≤ 15 mm	Capacitor Pitch > 15 mm	
Polyester	130°C	130°C	270°C	270°C	
Polypropylene	110°C	130°C	260°C	270°C	
Paper	130°C	140°C	270°C	270°C	
Polyphenylene Sulphide	150°C	160°C	270°C	270°C	

2. The maximum temperature measured inside the capacitor: set the temperature so that the maximum temperature inside the element is below the limit.

Dielectric Film Material	Maximum Temperature Measured Inside the Element
Polyester	160°C
Polypropylene	110°C
Paper	160°C
Polyphenylene Sulphide	160°C



Temperature monitored inside the capacitor.


#### **Selective Soldering Recommendations**

Selective dip soldering is a variation of reflow soldering. In this method, the printed circuit board with through-hole components to be soldered is preheated and transported over the solder bath as it is in normal flow soldering, without touching the solder. When the board is over the bath, it is stopped. Pre-designed solder pots are lifted from the bath with molten solder, only at the places of the selected components, and pressed against the lower surface of the board to solder the components.


The temperature profile for selective soldering is similar to the double wave flow soldering outlined in this document. **However, instead of two baths, there is only one with a time from 3 – 10 seconds.** In selective soldering, the risk of overheating is greater than in double wave flow soldering, and great care must be taken so that the parts do not overheat.



#### Construction




### **Winding Scheme**






### **Marking**


#### Lead Spacing 10 mm






NOTE: Hot imprinting with or without color or ink jet or laser marking

#### Lead Spacing 15 mm, 22.5 mm, and 27.5 mm







NOTE: Hot imprinting with or without color or ink jet or laser marking



## Marking cont.

#### Lead Spacing 22.5 and 27.5 mm (alternatives\*) and 37.5 mm





\*Differences are caused by technology (clichee, laser, or ink) and production line.

Man	Manufacturing Date Code (IEC-60062)								
	Y = Year, Z = Month								
Year	Code	Month	Code						
2010	Α	January	1						
2011	В	February	2						
2012	С	March	3						
2013	D	April	4						
2014	Е	May	5						
2015	F	June	6						
2016	Н	July	7						
2017	J	August	8						
2018	K	September	9						
2019	L	October	0						
2020	M	November	N						
2021	N	December	D						
2022	Р								
2023	R								
2024	S								
2025	Т								
2026	U								
2027	V								
2028	W								
2029	Х								
2030	Α								



## **Packaging Quantities**

Lead Spacing (mm)	Thickness (mm)	Height (mm)	Length (mm)	Bulk Short Leads	Bulk Long Leads	Standard Reel ø 355 mm	Large Reel ø 500 mm	Ammo Taped
	4	9	13	2,000	1,800	750	1,500	1,000
10	5	11	13	1,300	1,500	600	1,250	800
	6	12	13	1,000	1,200	500	1,000	680
	5	11	18	2,000	1,000	600	1,250	800
	6	12	18	1,750	900	500	1,000	680
	6	17.5	18	1,000	700	500	1,000	680
	7.5	13.5	18	1,000	700	350	800	500
	7.5	18.5	18	900	500	_	800	500
15	8.5	14.5	18	1,000	500	300	700	440
	9	12.5	18	1,000	520	270	650	410
	10	16	18	750	500	300	600	380
	11	19	18	450	350		500	340
			18		490	200		280
	13	12	10	750	490	200	480	280
	6	15	26.5	805	500	-	700	464
	7	16	26.5	700	500	-	550	380
22.5	10	18.5	26.5	396	300	-	350	235
	11	20	26.5	360	250	_	350	217
	13	22	26.5	300	200	-	300	-
								ı
	9	17	32	816	408	-	450	-
	11	20	32	560	336	-	350	-
	13	22	32	480	288	-	300	-
27.5	13	25	32	480	288	_	_	_
	14	28	32	352	176	-	_	-
	18	33	32	256	128	-	-	-
	22	37	32	168	112	_	_	_
	11	22	41.5	420	252	_	_	_
	13	24	41.5	360	216	-	-	-
	16	28.5	41.5	216	108	-	-	-
37.5	19	32	41.5	192	96	-	-	-
5.10	20	40	41.5	126	84	_	_	_
	24	44	41.5	108	72	_	_	_
	30	45	41.5	90	60	_	_	_




## Lead Taping & Packaging (IEC 60286-2)

Figure 1 Lead Spacing 10 mm

Figure 2 Lead Spacing 15 mm

Figure 3 Lead Spacing 22.5 – 27.5 mm



## **Taping Specification**

Description	Symbol	Dimensions (mm)				
		Lead Space				
		10	15	22.5	27.5	Tol.
		Fig. 1	Fig. 2	Fig. 3	Fig. 3	
Lead wire diameter	d	0.6	0.6-0.8	0.8	0.8	±0.05
Taping lead space	Р	25.4	25.4	38.1	38.1	±1
Feed hole lead space *	$P_{\scriptscriptstyle{0}}$	12.7	12.7	12.7	12.7	±0.2 **
Centering of the lead wire	$P_1$	7.7	5.2	7.8	5.3	±0.7
Centering of the body	P <sub>2</sub>	12.7	12.7	19.05	19.05	±1.3
Lead spacing (pitch) ***	F	10	15	22.5	27.5	+0.6/-0.1
Component alignment	Δh	0	0	0	0	±2
Height of component from tape center	H <sub>0</sub> ****	18.5	18.5	18.5	18.5	±0.5
Carrier tape width	W	18	18	18	18	+1/-0.5
Hold down tape width	W <sub>o</sub>	9	10	10	10	Minimum
Hole position	W <sub>1</sub>	9	9	9	9	±0.5
Hold down tape position	W <sub>2</sub>	3	3	3	3	Maximum
Feed hole diameter	D <sub>o</sub>	4	4	4	4	±0.2
Total tape thickness	t	0.7	0.7	0.7	0.7	±0.2

<sup>\* 15</sup> mm also available

<sup>\*\*</sup> Maximum of 1 mm on 20 lead spaces

<sup>\*\*\*</sup> Pitches 15 mm and 10 mm taped to 7.5 mm (crimped leads) available upon request


<sup>\*\*\*\*</sup>  $H_0$  = 16.5 mm is available upon request



## Lead Taping & Packaging (IEC 60286-2) cont.


## **Ammo Specifications**


Dimensions (mm)						
Н	W	Т				
360	340	59				



## **Reel Specifications**

Reel Size	Dimensions (mm)				
Reel Size	D	Н	W		
Standard	355	30	55 Maximum		
Large	500	25			







### **KEMET Electronics Corporation Sales Offices**

For a complete list of our global sales offices, please visit www.kemet.com/sales.

#### **Disclaimer**

All product specifications, statements, information and data (collectively, the "Information") in this datasheet are subject to change. The customer is responsible for checking and verifying the extent to which the Information contained in this publication is applicable to an order at the time the order is placed. All Information given herein is believed to be accurate and reliable, but it is presented without guarantee, warranty, or responsibility of any kind, expressed or implied.

Statements of suitability for certain applications are based on KEMET Electronics Corporation's ("KEMET") knowledge of typical operating conditions for such applications, but are not intended to constitute – and KEMET specifically disclaims – any warranty concerning suitability for a specific customer application or use. The Information is intended for use only by customers who have the requisite experience and capability to determine the correct products for their application. Any technical advice inferred from this Information or otherwise provided by KEMET with reference to the use of KEMET's products is given gratis, and KEMET assumes no obligation or liability for the advice given or results obtained.

Although KEMET designs and manufactures its products to the most stringent quality and safety standards, given the current state of the art, isolated component failures may still occur. Accordingly, customer applications which require a high degree of reliability or safety should employ suitable designs or other safeguards (such as installation of protective circuitry or redundancies) in order to ensure that the failure of an electrical component does not result in a risk of personal injury or property damage.

Although all product-related warnings, cautions and notes must be observed, the customer should not assume that all safety measures are indicted or that other measures may not be required.

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

#### KEMET:

R463R422000M1K R463W447000M1K R463F3100DQM1M R463I310000M1K R463I322000M2K R463I333000N0M R463N333000N0M R463N347000N0M R463N4100CKN2M R463R410000M1M R463R410050M1K R463R4100CKM1K R463R415000M1K R463R433000M2M R463R447000M2K R463W447000M2M R463W456000M1M R463W510000M1M R463F2100CKM1M R463F2100JBM1M R463F247000M1M R463F310000M1M R463F310050M1M R463I21000001M R463I21004001K R463I21004001M R463l21005001K R463l22204001M R463l22205001K R463l2220CK01K R463l2220JB01M R463l2220ZC01M R463I2330JB01M R463I24700001M R463I24704001M R463I24705001K R463I2470JB01M R463I26800001M R463I2680DQ01K R463I2680JB01M R463I31000001M R463I310000M1M R463I310040M1M R463I31005001K R463I310050M1M R463I3100BM01K R463I3100CKM1M R463I3100JBM1M R463I315000M2M R463I315045M2M R463I315050M1K R463I315050M2M R463I3150DQM1K R463I3150JHM1K R463I3150NEM1K R463I32200002M R463I322000M1K R463I322000M2M R463I322050L2K R463I322050M1K R463I322050M2M R463I3220NDL2K R463I3220NEL2K R463I3220NFM2M R463I33305001K R463I333050M1K R463I333050M1M R463I3330DQ01K R463I3330JH01K R463I3330JHM1K R463I347000M1K R463I347000M1M R463I347045M1M R463I347050M1M R463I3470DQM1K R463I3470JHM1K R463N31500001M R463N3150JH01M R463N322040M1K R463N32205001K R463N3220DQM1M R463N333000M1M R463N333040M1K R463N333040M1M R463N333050M1K R463N333050M1M R463N3330CKM1M R463N3330JHM1M R463N347000M1K R463N347000M1M R463N347040M1K R463N347050M1K R463N347050M1M R463N3470JBM1M R463N3470JHM1M R463N368000M2K R463N368000M2M R463N368050M1M R463N368050M2M R463N3680ZCM2M